

# PSi-LED



a division of Precision Services INC.

## LED INTERIOR LIGHTING

### LED HIGHBAY



UFO Style . . . . . 2-3



Linear Style . . . . . 4-5

### LED LAY-IN FIXTURES



LED Panel . . . . . 6

Back-lit Panel

Edge-lit Panel



LED Troffer . . . . . 7

### LED LINEAR FIXTURES



LED Tube Fixtures . . . . . 8



LED Wraparound . . . . . 8



LED Strip Down only . . . . 9-10

LED Stripe Up/Down Light



LED Vapor Tight Light . . . . 10



LED Batten Light . . . . . 11



LED Architectural Light . . . 12

### LED TUBES



LED Tubes . . . . . 13



LED T5 Tubes . . . . . 13



LED Single-Pin Tubes . . . . 13



LED HO Tubes . . . . . 14

### LED COOLER LIGHTS



Cooler Door Light . . . . . 14

### LED BULBS



All Bulb . . . . . 15

## LED DOWN LIGHTS



Down light with J-Box . . . . 16



Round/Square Down Light . . 17



Gum-Ball Down Light . . . . 17



Internal Driver Flat Panel . . . 18



External Driver Flat Panel . . . 18

## LED EXTERIOR LIGHTING

### LED AREA LIGHT



Parking Lot Light . . . . . 20



All Mounting Options . . . . 21



LED Post Top Light . . . . . 21

### LED CANOPY LIGHTS




Slim Canopy . . . . . 22



Round Canopy . . . . . 22



Square Canopy . . . . . 23



23" External Driver Plate Canopy . . . . 23



LED Soffit Canopy . . . . . 24

### LED WALLPACK LIGHTS



Mini Wallpacks . . . . . 25



Semi Cut-Off Wallpack . . . . 26



Full Cut-Off Wallpack . . . . 27

### LED FLOOD LIGHT



Flood Lights . . . . . 27

## LED SCENCE LIGHT



UP/DOWN or only DOWN Wall Scence Light . . . 28

## LED BARN AND GOOSENECK LIGHT



LED Barn Light . . . . . 29



LED Gooseneck Light . . . . 30

## LED RETROFIT KITS



LED Retro Light . . . . . 31

## ALL CORN LAMPS



All Corn Lamps . . . . . 31-32

## LED SIGNS AND SIGN TUBES



LED Gas Price Changers . . . . 34



LED Sign Tubes Generation 1 . . . 35



LED Sign Tubes Generation 2 . . . 35



LED Digital Signs . . . . . 36-37

## LED BACK-LIT MIRRORS



Variety Sizes of LED Mirrors. . . 39-40

## LED SPORTS FIELD LIGHTING



All Sport Field Lights . . . . 42-43



Exterior Highbay . . . . . 44

**COMING SOON . . . . . 45**

# PSi-LED




a division of Precision Services INC.

## UFO HIGHBAYS


### DIMENSIONS



100W/150W



200W



### 130LM/W

**100W**

Power 100W  
Lumen output 13000LM  
Input Voltage 100-277V

**150W**

Power 150W  
Lumen output 19500LM  
Input Voltage 100-277V

**200W**

Power 200W  
Lumen output 26000LM  
Input Voltage 100-277V

### 165LM/W

Power 100W  
Lumen output 16500LM  
Input Voltage 100-277V

Power 150W  
Lumen output 24750LM  
Input Voltage 100-277V

Power 200W  
Lumen output 33000LM  
Input Voltage 100-277V

### 180LM/W

Power 100W  
Lumen output 20000LM  
Input Voltage 100-277V

Power 150W  
Lumen output 27000LM  
Input Voltage 100-277V

Power 200W  
Lumen output 36000LM  
Input Voltage 100-277V

### THREE DIFFERENT LUMEN OUTPUT OPTIONS

### AREAS OF APPLICATION



Warehouse



Hall



Factories



Sport field

# PSi-LED



a division of Precision Services INC.

## UFO HIGH TEMP 65C HIGHBAY



**150W**

**Dimension** 14.4" x 7.1"  
**Power** 150W  
**Lumen output** 21000LM  
**Input Voltage** 100-277V

**200W**

**Dimension** 15.7" x 7.8"  
**Power** 200W  
**Lumen output** 28000LM  
**Input Voltage** 100-277V

**260W**

**Dimension** 15.7" x 7.8"  
**Power** 260W  
**Lumen output** 36400LM  
**Input Voltage** 100-277V

## UFO FOOD SAFE HIGHBAYS

**Power** 100W  
**Lumen output** 12880LM  
**Input Voltage** 100-277V

**100W**

**Power** 150W  
**Lumen output** 19320LM  
**Input Voltage** 100-277V

**150W**

**Power** 200W  
**Lumen output** 25760LM  
**Input Voltage** 100-277V

**200W**



# PSi-LED



a division of Precision Services INC.

## LINEAR HIGH LUMEN HIGHBAY



<b>100W</b>	Power 100W Lumen output 16000LM Input Voltage 100-277V	<b>2'</b>
<b>165W</b>	Power 165W Lumen output 26400LM Input Voltage 100-277V	<b>2'</b>
<b>200W</b>	Power 200W Lumen output 32000LM Input Voltage 100-277V	<b>4'</b>

## LINEAR MAGIC LINE HIGHBAY

Power 100W  
Lumen output 13000LM  
Input Voltage 100-277V

**100W**

Power 120W  
Lumen output 15000LM  
Input Voltage 100-277V

**120W**

Power 150W  
Lumen output 19500LM  
Input Voltage 100-277V

**150W**

Power 180W  
Lumen output 23400LM  
Input Voltage 100-277V

**180W**

Power 200W  
Lumen output 26000LM  
Input Voltage 100-277V

**200W**

Power 240W  
Lumen output 31000LM  
Input Voltage 100-277V

**240W**



**300W** Power 300W  
Lumen output 39000LM  
Input Voltage 100-277V

**400W** Power 400W  
Lumen output 52000LM  
Input Voltage 100-277V

**600W** Power 600W  
Lumen output 78000LM  
Input Voltage 100-277V



# PSi-LED

a division of Precision Services INC.



## LINEAR SKY LINE HIGHBAY



**100W**

**Power** 100W  
**Lumen output** 13000LM  
**Input Voltage** 100-277V

**150W**

**Power** 150W  
**Lumen output** 19500LM  
**Input Voltage** 100-277V

**200W**

**Power** 200W  
**Lumen output** 26000LM  
**Input Voltage** 100-277V

**320W**

**Power** 320W  
**Lumen output** 41600  
**Input Voltage** 100-277V

## LINEAR STRIP HIGHBAY

**Power** 100W  
**Lumen output** 12000LM  
**Input Voltage** 100-277V

**100W**

**Power** 150W  
**Lumen output** 17500LM  
**Input Voltage** 100-277V

**150W**

**Power** 200W  
**Lumen output** 24000LM  
**Input Voltage** 100-277V

**200W**



# PSi-LED



a division of Precision Services INC.

## LED PANELS

### BACK-LIT PANELS



**1' x 4'**

**Model No.** KLBP1-40W-XXXX  
**Dimension** 1X4 BACK-LIT PANEL  
**Power** 40W  
**Lumen output** 4200/5000LM  
**Input Voltage** 100-277V

**2' x 2'**

**Model No.** KLBP4-40W-XXXX  
**Dimension** 2X2 BACK-LIT PANEL  
**Power** 40W  
**Lumen output** 4200/5000LM  
**Input Voltage** 100-277V

**2' x 4'**

**Model No.** KLBP7-50W-XXXX  
**Dimension** 2X4 BACK-LIT PANEL  
**Power** 50W  
**Lumen output** 5250/6250LM  
**Input Voltage** 100-277V

### EDGE-LIT PANELS



**1' x 4'**

**Model No.** KLB32PLXX14-P  
**Dimension** 1X4 EDGE-LIT PANEL  
**Power** 32W  
**Lumen output** 3220/1460LM  
**Input Voltage** 100-277V

**2' x 2'**

**Model No.** KLB32PLDXX22-P  
**Dimension** 2X2 EDGE-LIT PANEL  
**Power** 32W  
**Lumen output** 3125LM  
**Input Voltage** 100-277V

**2' x 4'**

**Model No.** KLB50PLDXX24-P  
**Dimension** 2X4 EDGE-LIT PANEL  
**Power** 50W  
**Lumen output** 6250LM  
**Input Voltage** 100-277V

### EDGE-LIT



### BACK-LIT



# PSi-LED



a division of Precision Services INC.

## LED TROFFERS



**2' x 4'**

**Model No.** KLBR50TRFXX24  
**Dimension** 2X4 TROFFER  
**Power** 50W  
**Lumen output** 5220  
**Input Voltage** 100-277V



**2' x 2'**

**Model No.** KLBR40TRFXX22  
**Dimension** 2X2 TROFFER  
**Power** 40W  
**Lumen output** 4200LM  
**Input Voltage** 100-277V

## APPLICATION



# PSi-LED

a division of Precision Services INC.



## LED TUBE FIXTURES



8'

**Model No.** KLHF60T8XX8F  
**Dimension** 1.3"W x 1.38"H  
**Power** 60W  
**Lumen output** 8400LM  
**Input Voltage** 100-277V

6'

**Model No.** KLHF48T8XX6F  
**Dimension** 1.3"W x 1.38"H  
**Power** 48W  
**Lumen output** 6720LM  
**Input Voltage** 100-277V

5'

**Model No.** KLHF40T8XX5F  
**Dimension** 1.3"W x 1.38"H  
**Power** 40W  
**Lumen output** 5600LM  
**Input Voltage** 100-277V

4'

**Model No.** KLHF24T8XX4F  
**Dimension** 1.3"W x 1.38"H  
**Power** 24W  
**Lumen output** 3360LM  
**Input Voltage** 100-277V

## LED WRAPAROUND



4'

**Model No.** KLBR48WRXX4F  
**Dimension** 5.5" W x 48" L x 1.6" H  
**Power** 48W  
**Lumen output** 4000LM  
**Input Voltage** 100-277V

2'

**Model No.** KLBR25WRXX2F  
**Dimension** 5.5" W x 24" L x 1.6" H  
**Power** 25W  
**Lumen output** 2500LM  
**Input Voltage** 120V





# PSi-LED



a division of Precision Services INC.

## LED STRIP LIGHT



Black


Grey

White





**DOWN  
ONLY  
LIGHT**

**Model No.** KLHF60T8XX8F  
**Dimension** 1.3"W x  
1.38"H **Power** 60W  
**Lumen output** 8400LM  
**Input Voltage** 100-277V



**UP/DOWN  
LIGHT**

**Model No.** KLHF60T8XX8F  
**Dimension** 1.3"W x  
1.38"H **Power** 60W  
**Lumen output** 8400LM  
**Input Voltage** 100-277V



# PSi-LED



a division of Precision Services INC.

## LED STRIP LIGHT



**DECORATIVE END CAPS AVAILABLE IN  
BRONZE AND SILVER**

**2'**

**Model No.** KLBR25STPXX24  
**Dimension** 5"W x 3.28"H x 24"L  
**Power** 25W  
**Lumen output** 2600LM  
**Input Voltage** 100-277V

**3'**

**Model No.** KLBR30STPXX36  
**Dimension** 5.3"W x 3.7"H x 36.6"L  
**Power** 30W  
**Lumen output** 3100LM  
**Input Voltage** 100-277V

**4'**

**Model No.** KLBR40STPXX48  
**Dimension** 5"W x 3.28"H x 48"L  
**Power** 40W  
**Lumen output** 4200LM  
**Input Voltage** 100-277V

**8'**

**Model No.** KLBR104STPXX96  
**Dimension** 5"W x 3.28"H x 96"L  
**Power** 104W  
**Lumen output** 10400LM  
**Input Voltage** 100-277V

## LED VAPOR TIGHT LIGHT

**INDOOR/OUTDOOR APPLICATION  
IP65 RATING**



**2'**

**Model No.** KLBR20VTFXX2F  
**Dimension** 22"L x 4.75"W x 4.25"H  
**Power** 20W  
**Lumen output** 2200LM  
**Input Voltage** 100-277V

**4'**

**Model No.** KLBR40VTFXX4F  
**Dimension** 46"L x 4.75"W x 4.25"H  
**Power** 40W  
**Lumen output** 4400LM  
**Input Voltage** 100-277V



**APPLICATION**

# PSi-LED



a division of Precision Services INC.

## LED BATTEN LIGHT



**2'**

**Model No.** MC-BA-20D  
**Dimension** 24"L  
**Power** 20W  
**Lumen output** 2200LM  
**Input Voltage** 100-277V

**3'**

**Model No.** MC-BA-30D  
**Dimension** 36"L  
**Power** 30W  
**Lumen output** 3300LM  
**Input Voltage** 100-277V

**4'**

**Model No.** MC-BA-40D  
**Dimension** 48"L  
**Power** 40W  
**Lumen output** 4400LM  
**Input Voltage** 100-277V

**APPLICATION**



# PSi-LED



a division of Precision Services INC.

## ARCHITECTURAL LIGHTING

### LED BLADE LIGHT

BLACK, WHITE & WOOD GRAIN OPTIONS



**30W**

Power 30W  
Lumen output 1800LM  
Input Voltage 100-277V

**45W**

Power 45W  
Lumen output 2700LM  
Input Voltage 100-277V

**3' & 5' OPTION**

### LED DOWN LIGHT BRIGHT MOON



**60W**

**65W**

**80W**

**90W**

### LED DOWN LIGHT FLOAT



WHITE, BLACK & SILVER OPTIONS



# PSi-LED



a division of Precision Services INC.

## LED TUBES



2'

**Model No.** KLBR10T8XX2F

**Dimension** 24"L

**Power** 10W

**Lumen output** 1200LM

**Input Voltage** 100-277V

3'

**Model No.** KLBR15T8XX3F

**Dimension** 36"L

**Power** 15W

**Lumen output** 1800LM

**Input Voltage** 100-277V

4'

**Model No.** KLBR18T8XX4F

**Dimension** 48"L

**Power** 18W

**Lumen output** 2160LM

**Input Voltage** 100-277V

8'

**Model No.** KLBR40T8XX8F

**Dimension** 96"L

**Power** 40W

**Lumen output** 4800LM

**Input Voltage** 100-277V

## LED T5 TUBES



4'

**Model No.** KLCH25.5T5XX4F-HO

**Dimension** 48"L

**Power** 25.5W

**Lumen output** 3200-3300LM

**Input Voltage** 100-277V

## LED SINGLE-PIN TUBES



8'

**Model No.** KLBR40T8XX8F-G13

**Dimension** 96"L

**Power** 40W

**Lumen output** 4800LM

**Input Voltage** 100-277V

# PSi-LED



a division of Precision Services INC.

## LED HO ROTATING ENDS TUBE



**8'**

**Model No.** KLBR40T8XX8F-R17D  
**Dimension** 96"L  
**Power** 40W  
**Lumen output** 4800LM  
**Input Voltage** 100-277V

## LED COOLER DOOR LIGHTS



**4'**

**Model No.** KLH30RT85K4FI  
**Dimension** 48"L  
**Power** 30W  
**Lumen output** 3600LM  
**Input Voltage** 100-277V

**5'**

**Model No.** KLH40RT85K5FI  
**Dimension** 60"L  
**Power** 40W  
**Lumen output** 4800LM  
**Input Voltage** 100-277V

**6'**

**Model No.** KLH48RT85K6FI  
**Dimension** 72"L  
**Power** 48W  
**Lumen output** 5760LM  
**Input Voltage** 100-277V



# PSi-LED



a division of Precision Services INC.

## LED BULBS

**Model No.** KL-A19-9.5YYZCCTP  
**Power** 9.5W  
**Lumen output** 900LM  
**Input Voltage** 100-277V

**Model No.** KL-A19-11YYZCCTP  
**Power** 11W  
**Lumen output** 1100LM  
**Input Voltage** 100-277V

**A19  
BULBS**



**GU  
BULB**

**Model No.** KL-GU10-06YYZCCTP  
**Power** 6.5W  
**Lumen output** 500LM  
**Input Voltage** 100-277V

**Model No.** KL-B11-06YYZCCTP  
**Power** 6W  
**Lumen output** 1600LM  
**Input Voltage** 100-277V

**CANDLE  
BULB**



**BR  
BULBS**

**Model No.** KL-BR20-XXYYZCCTP  
**Power** 6.5W  
**Lumen output** 480LM  
**Input Voltage** 100-277V

**BR 20**

**Model No.** KL-BR30-XXYYZCCTP  
**Power** 11W  
**Lumen output** 800LM  
**Input Voltage** 100-277V

**BR 30**

**Model No.** KL-BR40-XXYYZCCTP  
**Power** 14W  
**Lumen output** 1090LM  
**Input Voltage** 100-277V

**BR 40**

**PAR 20**

**Model No.** KL-PAR20-XXYYZCCTP  
**Power** 6W  
**Lumen output** 450LM  
**Input Voltage** 100-277V

**PAR 30**

**Model No.** KL-PAR30-XXYYZCCTP  
**Power** 11W  
**Lumen output** 825LM  
**Input Voltage** 100-277V

**PAR 38**

**Model No.** KL-PAR38-XXYYZCCTP  
**Power** 15W  
**Lumen output** 1200LM  
**Input Voltage** 100-277V

**PAR  
BULBS**



**OTHER BULBS NOT LISTED HERE ALSO AVAILABLE**

# PSi-LED

a division of Precision Services INC.



## LED DOWN LIGHT WITH J-BOX



4"

**Model No.** D404-N-KT-XXXX  
**Power** 10W  
**Lumen output** 700-800LM  
**Input Voltage** 100-277V  
**Dimension** Ø5" x 4"H



6"

**Model No.** D316-N-XXXX  
**Power** 13W  
**Lumen output** 1000-1150M  
**Input Voltage** 120V  
**Dimension** Ø7.7" x 4.5"H

**Model No.** D404-N-KT-XXXX  
**Power** 10W  
**Lumen output** 700-800LM  
**Input Voltage** 100-277V  
**Dimension** Ø5" x 4"H

8"



**Model No.** D316-N-XXXX  
**Power** 13W  
**Lumen output** 1000-1150M  
**Input Voltage** 120V  
**Dimension** Ø7.7" x 4.5"H

10"





# PSi-LED



a division of Precision Services INC.

## LED ROUND & SQUARE DOWN LIGHT



4"

**Model No.** KL09DLXX4I  
**Power** 9W  
**Lumen output** 720-820LM  
**Dimension** Ø5" x 3.2"H

6"

**Model No.** KL13DLXX6I  
**Power** 13W  
**Lumen output** 1000-1100M  
**Dimension** Ø7.5" x 3.4"H



4"

**Model No.** D724-90-XXXX  
**Dimension** 5"L x 5" W x 1.8"H  
**Power** 9W  
**Lumen output** 600LM

6"

**Model No.** D726-90-XXXX  
**Dimension** 7.3"L x 7.3" W x 0.5"H  
**Power** 12W  
**Lumen output** 950LM

## LED GUM-BALL DOWN LIGHT

**Model No.** D504-90-XXXX  
**Dimension** Ø5.4" x 3.0"H  
**Power** 10W  
**Lumen output** 700-740LM

**Model No.** D506-90-XXXX  
**Dimension** Ø7.7"L x 3.0"H  
**Power** 10/15W  
**Lumen output** 700-740/1050-1100LM

4"

6"







# PSi-LED



a division of Precision Services INC.

## LED INTERNAL DRIVER FLAT PANEL

	<b>4"</b>	<b>Model No.</b> KLBR06FDLXX4I <b>Dimension</b> Ø5.3" x 0.5"H <b>Power</b> 6W <b>Lumen output</b> 500LM
	<b>6"</b>	<b>Model No.</b> KLBR12FDLXX6I <b>Dimension</b> Ø7" x 0.5"H <b>Power</b> 12W <b>Lumen output</b> 960LM
	<b>8"</b>	<b>Model No.</b> KLBR18FDLXX8I <b>Dimension</b> Ø8.8" x 0.5"H <b>Power</b> 18W <b>Lumen output</b> 1530LM
	<b>10"</b>	<b>Model No.</b> KLBR24FDLXX10I <b>Dimension</b> Ø11.8" x 0.5"H <b>Power</b> 24W <b>Lumen output</b> 2160LM

## LED EXTERNAL DRIVER FLAT PANEL

**Model No.** KLBR09FDLEX4I  
**Dimension** Ø4.7" x 0.5"H  
**Power** 9W  
**Lumen output** 700LM

**Model No.** KLBR12FDLEX6I  
**Dimension** Ø6.8" x 0.5"H  
**Power** 12W  
**Lumen output** 1050LM

**Model No.** KLBR20FDLEX8I  
**Dimension** Ø8.7" x 0.5"H  
**Power** 20W  
**Lumen output** 1350LM

**4"**

**6"**

**8"**



# PSi-LED



a division of Precision Services INC.

## LED PARKING LOT LIGHTS

BLACK/WHITE/BRONZE COLOR OPTIONS  
PHOTOCELL/NON-PHOTOCELL OPTION  
HIGH/LOW VOLTAGE OPTION  
ALL OPTIONS IN STOCK



**80W/100/150W**

**Model No.** KLBR80SB-X-XX  
**Dimension** 13.4" x 15.4" x 3.15"  
**Power** 80W  
**Lumen output** 10000LM

**Model No.** KLBR150SB-X-XX  
**Dimension** 13.4" x 15.4" x 3.15"  
**Power** 100W  
**Lumen output** 12500LM

**Model No.** KLBR150SB-X-XX  
**Dimension** 13.4" x 15.4" x 3.15"  
**Power** 150W  
**Lumen output** 18750LM



**200/240W**


**Model No.** KLBR200SB-X-XX  
**Dimension** 21.3" x 15.4" x 3.15"  
**Power** 200W  
**Lumen output** 25000LM

**Model No.** KLBR240SB-X-XX  
**Dimension** 21.3" x 15.4" x 3.15"  
**Power** 240W  
**Lumen output** 30000LM



**300W**

**Model No.** KLBR300SB-X-XX  
**Dimension** 25.2" x 15.4" x 3.15"  
**Power** 300W  
**Lumen output** 37500LM



**450W**

**Model No.** KLAST450WSBXX  
**Dimension** 36" x 13.3" x 3.7"  
**Power** 450W  
**Lumen output** 54000-607500LM

# PSi-LED



a division of Precision Services INC.

## LED PARKING LOT LIGHT MOUNTING OPTIONS

### Accessories

Photocell Options:



Photocell



Shorting Cap

Mounting Adaptor Options:



Type S  
Street Pole



Type A  
Slip Fitter



Type G  
Square pole



Type C Trunnion



Type H  
Round Pole

### APPLICATION



## LED POST TOP LIGHT

Model No. KL75SGFXX  
Dimension 25.5" x 17.5"  
Power 75W  
Lumen output 8429LM

**75W**

**ALSO AVAILABLE IN OTHER WATTAGES**





# PSi-LED



a division of Precision Services INC.

## LED SLIM CANOPY LIGHT



**130W**

**Model No.** KL130CPXX-SLIM

**Dimension** 15" x 15" x 2.8"

**Power** 130W

**Lumen output** 16900LM

## LED ROUND CANOPY LIGHT

**Model No.** KLBR40W277CXX

**Dimension** Ø11.4" x 3.13"H

**Power** 40W

**Lumen output** 5200LM

**40W**

**Model No.** KLBR80W277CXX

**Dimension** Ø11.4" x 3.13"H

**Power** 80W

**Lumen output** 10400LM

**80W**



## APPLICATION



# PSi-LED

a division of Precision Services INC.



## LED SQUARE CANOPY LIGHT



**55W**

**Model No.** KLSN55CPXX-LYRA1  
**Dimension** 8.9"L x 8.9"W x 4.5"H  
**Power** 55W  
**Lumen output** 6900-7450LM


**75W**

**Model No.** KLSN75CPXX-LYRA1  
**Dimension** 10"L x 10"W x 6.1"H  
**Power** 75W  
**Lumen output** 9400-10000LM

## LED 23" EXTERNAL DRIVER PLATE CANOPY

**Model No.** KL-CP-150W-H3-M2-N-XX  
**Input Voltage** 100-277V  
**Power** 150W  
**Lumen output** 19000-20000LM

**150W**



**JUNCTION BOX EQUIPPED**



# PSi-LED



a division of Precision Services INC.

## LED SOFFIT LIGHT



White  
Plate




Bronze  
Plate

**40W**

**Model No.** KL-SF-SERIES  
**Dimension** Variety sizes  
**Power** 40W  
**Lumen output** 5600LM

### SERIES SIZE OPTIONS



### APPLICATIONS



Under Soffit



Gas Station



Enterway



# PSi-LED



a division of Precision Services INC.

## LED MINI WALLPACK LIGHTS



**9W**

**Model No.** KLSN9WPXX  
**Dimension** 8.6"L x 5.8"W x 2.9"H  
**Power** 9W  
**Lumen output** 940-1000LM

**Model No.** KLBR18WPXX  
**Dimension** 9.1"L x 6.0"W x 3.6"H  
**Power** 18W  
**Lumen output** 2000LM

**18W**



**APPLICATION**



# PSi-LED



a division of Precision Services INC.

## LED SEMI CUT-OFF WALLPACK LIGHTS



**60W**

**Model No.** KL60SWPXX-R  
**Dimension** 14.2" x 9.3" x 7.6"  
**Power** 60W  
**Lumen output** 6600-7200LM

**80W**

**Model No.** KL80SWPXX-R  
**Dimension** 14.2" x 9.3" x 7.7"  
**Power** 80W  
**Lumen output** 9200-10000LM

**120W**

**Model No.** KL120SWPXXA-4G  
**Dimension** 18.1" x 9.8" x 8.8"  
**Power** 120W  
**Lumen output** 13800-15000LM

### APPLICATION



# PSi-LED



a division of Precision Services INC.

## LED FULL CUT-OFF WALLPACK LIGHTS



**40W**

**Model No.** KLSN40FWPXX-CT4A1

**Voltage Input** 100-277V

**Power** 40W

**Lumen output** 4400-4800LM

**60W**

**Model No.** KLSN60FWPXX-CT4A1

**Voltage Input** 100-277V

**Power** 60W

**Lumen output** 6900-7500LM

**80W**

**Model No.** KLSN80FWPXX-CT4A1

**Input Voltage** 100-277V

**Power** 80W

**Lumen output** 9200-10250LM

**120W**

**Model No.** KLSN120FWPXX-CT4A1

**Input Voltage** 100-277V

**Power** 120W

**Lumen output** 14400-15600LM

## LED FLOOD LIGHTS



**30W**

**Model No.** KLSN30FLXX-CT1A1

**Input Voltage** 100-277V

**Power** 30W

**Lumen output** 3450-3750LM

**50W**

**Model No.** KLSN30FLXX-CT1A1

**Input Voltage** 100-277V

**Power** 50W

**Lumen output** 5750-6250LM

### AVAILABLE MOUNTING OPTIONS



# PSi-LED



a division of Precision Services INC.

## LED UP AND DOWN / UP OR DOWN ONLY SCONCE LIGHTS

### AVAILABLE WATTAGES



#### One Direction

9W  
12W  
18W  
20W  
24W  
30W  
36W

#### Two Directions

9W X2 (18W total)  
12W X2 (24W total)  
18W X2 (36W total)  
20W X2 (40W total)  
24W X2 (48W total)  
30W X2 (60W total)  
36W X2 (72W total)



# PSi-LED



a division of Precision Services INC.

## LED BARN LIGHTS



**35W**

**Model No.** KLBR35BNXX  
**Dimension** Ø6.5" x 10.3" x 5.5"  
**Power** 35W  
**Lumen output** 3700LM

**Model No.** KLBR42BNXX  
**Dimension** Ø10" x 13.8" x 5.2"  
**Power** 42W  
**Lumen output** 5250LM

**42W**

**Model No.** KLBR58BNXX  
**Dimension** Ø10" x 13.8" x 5.2"  
**Power** 58W  
**Lumen output** 7250LM

**58W**



### APPLICATION





# PSi-LED



a division of Precision Services INC.

## LED GOOSE NECK LIGHT



**35W**

**Model No.** KLBR35BNXX  
**Dimension** Ø6.5" x 10.3" x 5.5"  
**Power** 35W  
**Lumen output** 3700LM

**Model No.** KLBR42BNXX  
**Dimension** Ø10" x 13.8" x 5.2"  
**Power** 42W  
**Lumen output** 5250LM

**42W**



BLACK



BRONZE



WHITE

COLOR OPTIONS

APPLICATION



# PSi-LED



a division of Precision Services INC.

## LED RETROS



**80W**

**Model No.** KL80SRKPXX  
**Voltage Input** 100-277 OR 200-480V  
**Power** 80W  
**Lumen output** 8000-10800LM

**120W**

**Model No.** KL120SRKPXX  
**Voltage Input** 100-277 OR 200-480V  
**Power** 120W  
**Lumen output** 12000-16200LM

**150W**

**Model No.** KL150SRKXX  
**Input Voltage** 100-277 OR 200-480V  
**Power** 150W  
**Lumen output** 14500-17200LM

**240W**

**Model No.** KL240SRKXX  
**Input Voltage** 100-277 OR 200-480V  
**Power** 240W  
**Lumen output** 22000-28000LM

**AVAILABLE IN HIGH VOLTAGE**

## LED CORN POST-TOP LAMPS



**40W**

**Model No.** KLSN40TCLXX-BLYA1E  
**Dimension** Ø5.1" x 7.0"  
**Power** 40W  
**Lumen output** 4400-4800LM

# PSi-LED



a division of Precision Services INC.

## LED SIGN TUBES

### GENERATION 1



SIZES	POWER	LUMENS
-------	-------	--------

F18	7	910
-----	---	-----

F24	7	910
-----	---	-----

F30	16	910
-----	----	-----

F36	16	910
-----	----	-----

F42	21	2700
-----	----	------

F48	21	2730
-----	----	------

F60	28	3640
-----	----	------

F64	28	3640
-----	----	------

F72	38	4750
-----	----	------

F84	38	4750
-----	----	------

F96	51	6630
-----	----	------

F108	51	6630
------	----	------

F117	60	8450
------	----	------

F120	60	8450
------	----	------

**PATENTED  
PRODUCT**

### GENERATION



## A COMPLETE GAME CHANGER!

Our patented LED Sign tubes offer better heat dissipation, more vibrant lighting, more durability and a significant cost savings over the life of your sign. Installation is easy. Simply cut the power, remove the old bulbs, cut the power leads to the existing ballast and remove the ballast entirely, insert our new patented tubes and connect them with the easy to use power cable, wire the proper power supply leads to the corresponding wires to the new power supply cable and close the sign case to finish your simple installation. Our revolutionary design enables you to spend less time on the sign installation and more time making sure your job is right the first time.



# PSi-LED



a division of Precision Services INC.

## LED BACK-LIT MIRRORS



**Model No.** KL-VML-XXXX

**Dimension** Available in multiple sizes

**5mm frame; anti-fog coating glass**

mirror Backed with shatter proof

film; rust- resistant

Model Number	Mirror Dimension (in)	Wattage	Tubes Needed	Stock
KL-VML3042	30X42	50W	(2) 30" tubes (2) 42" tubes	In Stock
KL-VML3048	30X48	56W	(2) 30" tubes (2) 4' tubes	Special Order
KL-VML3054	30X54	56W	(2) 30" tubes (2) 4' tubes	In Stock
KL-VML3636	36X36	60W	(4) 3' tubes	In Stock
KL-VML3648	36X48	66W	(2) 3' tubes (2) 4' tubes	Special Order
KL-VML3654	36X54	66W	(2) 3' tubes (2) 4' tubes	Special Order
KL-VML4242	42X42	60W	(4) 42" tubes	In Stock
KL-VML4254	42X54	66W	(2) 42" tubes (2) 4' tubes	In Stock
KL-VML4848	48X48	72W	(4) 4' tubes	Special Order
KL-VML5454	54X54	72W	(4) 4' tubes	Special Order

**EASY INSTALL**



# PSi-LED



a division of Precision Services INC.

## LED VERTICAL CUT-OUT BACK-LIT MIRRORS



**Input Voltage** 120V AC, 50/60Hz

**Overall Size** H40" x W30" x 2.8"

**IP20 rating**

Ecological 5mm silvering glass mirror, condensation-free, pencil polished edge & safe corners, 35mm left & right sandblasted bands, finger-print protection, backed with shatter-proof film

2 x 10W T8 LED tubes (excluded)

Extruded aluminum chassis in white powder coating, key-hole slots for easy mirror installation and maintenance

**Suitable for both landscape and portrait style installation**

Lead cable for mains power connection

Mounting accessories attached, mini bubble level included